



















**LUKOIL LUBRICANTS: OEM APPROVALS**

OEM	LUKOIL LUBRICANT	approved by meet requirements	SPECIFICATIONS	OIL TYPE	
	<b>Allison</b>	LUKOIL GEYSER MM SAE 10W	meet requirements:	Allison C-4	motor/ transmission
		LUKOIL GEYSER MM SAE 30	meet requirements:	Allison C-4	
	<b>AFNOR</b>	LUKOIL GEYSER CT ISO 32, 46, 68, 100	meet requirements:	NF E 48-603 (HM)	hydraulic
	<b>AGMA</b>	LUKOIL STEELO ISO 68, 100, 150, 220, 320,460, 680	meet requirements:	9005-EO2 (EP)	gear / transmission
	<b>BIJUR</b>	LUKOIL SLIDO ISO 32, 68, 150, 220	meet requirements:	PT 37-1	slideway
	<b>BMW</b>	LUKOIL LUXE SAE 5W-40 API SM/CF	meet requirements:	BMW Longlife-98	motor
	<b>BoschRexroth</b>	LUKOIL GEYSER LT ISO 32, 46, 68, 100	meet requirements:	BoschRexroth 90 220	hydraulic
		LUKOIL GEYSER ZF ISO 22, 32, 46, 68, 100	meet requirements:	BoschRexroth 90 220	hydraulic
		LUKOIL GEYSER CT ISO 32, 46, 68, 100	approved by:	BoschRexroth 90 220	hydraulic
	<b>Caterpillar</b>	LUKOIL GEYSER MM SAE 10W	meet requirements:	Cat TO -4	motor/ transmission
		LUKOIL GEYSER MM SAE 30	meet requirements:	Cat TO -4	motor/ transmission
		LUKOIL AVANTGARDE ULTRA SAE 15W-40 API CI-4/SL	meet requirements:	Caterpillar ECF-2	motor
		LUKOIL AVANTGARDE EXTRA SAE 15W-40 API CH-4, CG-4/SJ	meet requirements:	Caterpillar ECF-1-a	motor
	<b>Cincinnati Machine</b>	LUKOIL GEYSER LT ISO 32, 46, 68, 100	meet requirements:	P-68, P-69, P-70	hydraulic
		LUKOIL GEYSER ZF ISO 32, 46, 68	approved by:	P-68, P-69, P-70	hydraulic
		LUKOIL GEYSER CT ISO 32, 46, 68	approved by:	P-68, P-69, P-70	hydraulic
		LUKOIL IGS ISO 32, 46, 68	approved by:	P-68, P-69, P-70	hydraulic
		LUKOIL SUPPORTO 10	approved by:	P-62	hydraulic
	<b>Cummins</b>	LUKOIL AVANTGARDE ULTRA SAE 15W-40 API CI-4/SL	approved by:	CES 20078	motor
		LUKOIL AVANTGARDE EXTRA SAE 15W-40 API CH-4, CG-4/SJ	approved by:	CES 20076	motor
	<b>David Brown</b>	LUKOIL STEELO ISO 68, 100, 150, 220, 320, 460, 680	meet requirements:	David Brown	gear / transmission
	<b>Denison Hydraulics</b>	LUKOIL GEYSER LT ISO 32, 46, 68, 100	approved by:	HF-0, HF-1, HF-2	hydraulic
		LUKOIL GEYSER CT ISO 32, 46, 68, 100	approved by:	HF-0, HF-1, HF-2	hydraulic
		LUKOIL GEYSER ZF ISO 32, 46, 68	approved by:	HF-0, HF-1, HF-2	hydraulic
		LUKOIL GEYSER ZF ISO 22,100	meet requirements:	HF-0, HF-1, HF-2	hydraulic
		LUKOIL IGS ISO 32, 46, 68	approved by:	HF-0, HF-1, HF-2	hydraulic
	<b>DHD</b>	LUKOIL IGP ISO 32, 46, 68	approved by:	HF-0, HF-1, HF-2	hydraulic
		LUKOIL AVANTGARDE ULTRA SAE 15W-40 API CI-4/SL	meet requirements:	DHD-1 Global	motor
	<b>Eaton Vickers</b>	LUKOIL GEYSER LT ISO 32, 46, 68, 100	meet requirements:	I-286 S, M-2950-S	hydraulic
		LUKOIL GEYSER ZF ISO 22, 32, 46, 68, 100	meet requirements:	I-286 S, M-2950-S	hydraulic
		LUKOIL GEYSER CT ISO 32, 46, 68, 100	meet requirements:	I-286 S	hydraulic
	<b>General Electric Company</b>	LUKOIL M-14D2	approved by:	Fundamental Approval	motor
		LUKOIL M-14D2	meet requirements:	GE Generation 4 Long Life	motor
	<b>General Motors</b>	LUKOIL LUXE SAE 5W-40 API SM/CF	meet requirements:	GM-LL-B-025 (Opel)	motor
	<b>JCMAS</b>	LUKOIL GEYSER LT ISO 32, 46, 68, 100	meet requirements:	JCMAS HK	hydraulic
		LUKOIL GEYSER CT ISO 32, 46, 68, 100	meet requirements:	JCMAS HK	hydraulic
	<b>Komatsu</b>	LUKOIL GEYSER MM SAE 10W	meet requirements:	Komatsu	motor/ transmission
		LUKOIL GEYSER MM SAE 30	meet requirements:	Komatsu	motor/ transmission
	<b>Mack</b>	LUKOIL AVANTGARDE ULTRA SAE 15W-40 API CI-4/SL	meet requirements:	Mack EO-M Plus	motor
		LUKOIL AVANTGARDE EXTRA SAE 15W-40 API CH-4, CG-4/SJ	meet requirements:	Mack EO-M Plus	motor



**MAN**

LUKOIL AVANTGARDE SAE 15W-40 API CF-4/SG	quality level:	MAN 271	motor
LUKOIL AVANTGARDE EXTRA SAE 15W-40 API CH-4, CG-4/SJ	approved by:	MAN 271	motor
LUKOIL AVANTGARDE EXTRA SAE 15W-40 API CH-4, CG-4/SJ	quality level:	MAN M 3275	motor
LUKOIL AVANTGARDE ULTRA SAE 15W-40 API CI-4/SL	approved by:	MAN M 3275	motor
LUKOIL TRANSMISSION TM-4 SAE 75W-90 API GL-4	quality level:	MAN 341 Z-1	transmission
LUKOIL TRANSMISSION TM-4 SAE 80W-85 API GL-4	quality level:	MAN 341 Z-1	transmission
LUKOIL TRANSMISSION TM-4 SAE 80W-90 API GL-4	quality level:	MAN 341 Z-1	transmission
LUKOIL TRANSMISSION TM-5 SAE 75W-90 API GL-5	quality level:	MAN 341 Z-1	transmission
LUKOIL TRANSMISSION TM-5 SAE 80W-90 API GL-5	quality level:	MAN 342 M-1	transmission
LUKOIL TRANSMISSION TM-5 SAE 85W-90 API GL-5	quality level:	MAN 342 M-1	transmission

**MAN DIESEL**

LUKOIL NAVIGO 70 MCL	approved by:	MAN B&W two-stroke engine	marine motor
----------------------	--------------	---------------------------	--------------



Mercedes-Benz

**Daimler Chrysler**

LUKOIL AVANTGARDE SAE 15W-40 API CF-4/SG	quality level:	MB 228.1	motor
LUKOIL AVANTGARDE EXTRA SAE 15W-40 API CH-4, CG-4/SJ	quality level:	MB 228.3	motor
LUKOIL AVANTGARDE ULTRA SAE 15W-40 API CI-4/SL	quality level:	MB 228.3	motor
LUKOIL AVANTGARDE ULTRA SAE 15W-40 API CI-4/SL	quality level:	MB 229.1	motor
LUKOIL TRANSMISSION TM-4 SAE 75W-90 API GL-4	quality level:	MB 235.1	motor
LUKOIL TRANSMISSION TM-4 SAE 80W-85 API GL-4	quality level:	MB 235.1	transmission
LUKOIL TRANSMISSION TM-4 SAE 80W-90 API GL-4	quality level:	MB 235.1	transmission
LUKOIL TRANSMISSION TM-5 SAE 75W-90 API GL-5	quality level:	MB 235.0	transmission
LUKOIL TRANSMISSION TM-5 SAE 80W-90 API GL-5	quality level:	MB 235.0	transmission
LUKOIL TRANSMISSION TM-5 SAE 85W-90 API GL-5	quality level:	MB 235.0	transmission
LUKOIL LUXE SAE 5W-40 API SM/CF	approved by:	MB 229.3	motor
LUKOIL LUXE SAE 5W-40 API SL/CF	quality level:	MB 229.1	motor
LUKOIL LUXE SAE 10W-40 API SL/CF	quality level:	MB 229.1	motor



**MTU**

LUKOIL AVANTGARDE ULTRA SAE 15W-40 API CI-4/SL	quality level:	MTU cat.2	motor
LUKOIL AVANTGARDE ULTRA SAE 10W-40 API CI-4/SL	quality level:	MTU cat.2	motor
LUKOIL AVANTGARDE EXTRA SAE 15W-40 API CH-4, CG-4/SJ	quality level:	MTU cat.2	motor



PORSCHE

**PORSCHE**

LUKOIL LUXE SAE 5W-40 API SM/CF	approved by:	PORSCHE A-40	motor
---------------------------------	--------------	--------------	-------



RENAULT

**Renault**

LUKOIL AVANTGARDE ULTRA SAE 15W-40 API CI-4/SL	quality level:	Renault RLD/ RLD-2	motor
--	----------------	--------------------	-------



**US Steel**

LUKOIL GEYSER LT ISO 32, 46, 68, 100	meet requirements:	US Steel 127	hydraulic
LUKOIL GEYSER CT ISO 32, 46, 68, 100	meet requirements:	US Steel 127	hydraulic



Volkswagen

**VOLKSWAGEN**

LUKOIL LUXE SAE 5W-40 API SM/CF	meet requirements:	VW 502 00, VW 505 00	motor
---------------------------------	--------------------	----------------------	-------



**Volvo**

LUKOIL AVANTGARDE ULTRA SAE 15W-40 API CI-4/SL	approved by:	VDS-3	motor
LUKOIL AVANTGARDE EXTRA SAE 15W-40 API CH-4, CG-4/SJ	quality level:	VDS-3	motor
LUKOIL AVANTGARDE SAE 15W-40 API CF-4/SG	quality level:	VDS	motor



**WARTSILA**

LUKOIL NAVIGO TPEO 30/30, 30/40, 40/30, 40/40, 50/40, 55/40	approved by:	Wartsila	marine motor
---	--------------	----------	--------------




**ZF**

LUKOIL GEYSER MM SAE 10W	meet requirements:	ZF TE-ML 03	motor/ transmission
LUKOIL GEYSER MM SAE 30	meet requirements:	ZF TE-ML 03	motor/ transmission
LUKOIL TRANSMISSION TM-4 SAE 75W-90 API GL-4	quality level:	ZF TE-ML 02A, 16A, 17A	transmission
LUKOIL TRANSMISSION TM-4 SAE 80W-85 API GL-4	approved by:	ZF TE-ML 02A, 17A	transmission
LUKOIL TRANSMISSION TM-4 SAE 80W-90 API GL-4	approved by:	ZF TE-ML 02A, 16A, 17A, 19A	transmission
LUKOIL TRANSMISSION TM-4 SAE 80W API GL-4	approved by:	ZF TE-ML 02B, 17A	transmission
LUKOIL TRANSMISSION TM-5 SAE 75W-90 API GL-5	quality level:	ZF TE-ML 05A, 07A, 16B/C/D, 17B, 19B	transmission
LUKOIL TRANSMISSION TM-5 SAE 80W-90 API GL-5	approved by:	ZF TE-ML 05A, 16B, 17B, 19B, 21A	transmission
LUKOIL TRANSMISSION TM-5 SAE 85W-90 API GL-5	approved by:	ZF TE-ML 05A, 16B, 17B, 19B, 21A	transmission
LUKOIL TRANSMISSION TM-5 SAE 80W-140 API GL-5	approved by:	ZF TE-ML 05A, 21A	transmission

**AVTOVAZ**

LUKOIL SUPER SAE 5W-40 API SG/CD	approved by:	TTM 1.97.0727	motor
LUKOIL SUPER SAE 10W-40 API SG/CD	approved by:	TTM 1.97.0727	motor
LUKOIL SUPER SAE 15W-40 API SG/CD	approved by:	TTM 1.97.0727	motor
LUKOIL SUPER SAE 20W-50 API SG/CD	approved by:	TTM 1.97.0727	motor
LUKOIL LUXE SAE 5W-40 API SL/CF	approved by:	TTM 1.97.0727	motor
LUKOIL LUXE SAE 10W-40 API SL/CF	approved by:	TTM 1.97.0727	motor
LUKOIL STANDARD SAE 10W-30 API SF/CC	approved by:	TTM 1.97.0715	motor
LUKOIL STANDARD SAE 10W-40 API SF/CC	approved by:	TTM 1.97.0715	motor
LUKOIL STANDARD SAE 15W-40 API SF/CC	approved by:	TTM 1.97.0715	motor
LUKOIL FLUSH SERVICE OIL	approved by:	AVTOVAZ	motor
LUKOIL TRANSMISSION TM-4 SAE 75W-90 API GL-4	approved by:	AVTOVAZ	transmission
LUKOIL TRANSMISSION TM-4 SAE 80W-85, API GL-4	approved by:	AVTOVAZ	transmission
LUKOIL TRANSMISSION TM-5 SAE 75W-90 API GL-5	approved by:	AVTOVAZ	transmission
LUKOIL TRANSMISSION TM-5 SAE 80W-90 API GL-5	approved by:	AVTOVAZ	transmission
LUKOIL TRANSMISSION TM-5 SAE 85W-90 API GL-5	approved by:	AVTOVAZ	transmission

**Association of Automotive Engineers (RF)**

LUKOIL SUPER SAE 5W-40 API SG/CD	approved by:	AAI ГСМ Б4-98	motor
LUKOIL SUPER SAE 10W-40 API SG/CD	approved by:	AAI ГСМ Б4-98	motor
LUKOIL SUPER SAE 15W-40 API SG/CD	approved by:	AAI ГСМ Б4-98	motor
LUKOIL SUPER SAE 20W-50 API SG/CD	approved by:	AAI ГСМ Б4-98	motor

**KAMAZ**

LUKOIL AVANTGARDE ULTRA SAE 15W-40 API CI-4/SL	approved by:	KAMAZ for engines meeting Euro-3 standards	motor
LUKOIL AVANTGARDE ULTRA SAE 10W-40 API CI-4/SL	approved by:	KAMAZ for engines meeting Euro-3 standards	motor
LUKOIL AVANTGARDE EXTRA SAE 15W-40 API CH-4, CG-4/SJ	approved by:	KAMAZ for engines meeting Euro-3 standards	motor
LUKOIL AVANTGARDE EXTRA SAE 10W-40 API CH-4, CG-4/SJ	approved by:	KAMAZ for engines meeting Euro-3 standards	motor
LUKOIL AVANTGARDE SAE 15W-40 API CF-4/SG	approved by:	KAMAZ for engines meeting Euro-2 standards	motor
LUKOIL AVANTGARDE SAE 10W-40 API CF-4/SG	approved by:	KAMAZ for engines meeting Euro-2 standards	motor
LUKOIL TSp-15K API GL-3	approved by:	KAMAZ	transmission
LUKOIL-MZk	approved by:	KAMAZ	motor break-in oil

**YaMZ**

LUKOIL AVANTGARDE ULTRA SAE 15W-40 API CI-4/SL	approved by:	YaMZ-650.10	motor
--	--------------	-------------	-------

**LSC "ZMZ"**

LUKOIL SUPER SAE 5W-40 API SG/CD	approved by:	LSC "ZMZ"	motor
LUKOIL SUPER SAE 10W-40 API SG/CD	approved by:	LSC "ZMZ"	motor
LUKOIL SUPER SAE 15W-40 API SG/CD	approved by:	LSC "ZMZ"	motor
LUKOIL SUPER SAE 20W-50 API SG/CD	approved by:	LSC "ZMZ"	motor
LUKOIL LUXE SAE 5W-30 API SL/CF	approved by:	LSC "ZMZ"	motor
LUKOIL LUXE SAE 5W-40 API SL/CF	approved by:	LSC "ZMZ"	motor
LUKOIL LUXE SAE 10W-40 API SL/CF	approved by:	LSC "ZMZ"	motor
LUKOIL LUXE SAE 15W-40 API SL/CF	approved by:	LSC "ZMZ"	motor